

---

**verifytweet**

***Release 0.5.0***

**Preetham Kamidi**

**Jul 03, 2019**



# CONTENTS:

<b>1</b>	<b>verifytweet package</b>	<b>1</b>
1.1	Subpackages . . . . .	1
1.1.1	verifytweet.config package . . . . .	1
1.1.1.1	Submodules . . . . .	1
1.1.1.2	verifytweet.config.settings module . . . . .	1
1.1.1.3	Module contents . . . . .	2
1.1.2	verifytweet.services package . . . . .	2
1.1.2.1	Submodules . . . . .	2
1.1.2.2	verifytweet.services.controller module . . . . .	2
1.1.2.3	verifytweet.services.image module . . . . .	2
1.1.2.4	verifytweet.services.search module . . . . .	2
1.1.2.5	verifytweet.services.text module . . . . .	2
1.1.2.6	Module contents . . . . .	2
1.1.3	verifytweet.util package . . . . .	2
1.1.3.1	Submodules . . . . .	2
1.1.3.2	verifytweet.util.date_checker module . . . . .	2
1.1.3.3	verifytweet.util.logging module . . . . .	3
1.1.3.4	verifytweet.util.result module . . . . .	3
1.1.3.5	verifytweet.util.uploader module . . . . .	3
1.1.3.6	verifytweet.util.validator module . . . . .	3
1.1.3.7	Module contents . . . . .	3
1.2	Submodules . . . . .	3
1.3	verifytweet.app module . . . . .	3
1.4	verifytweet.cli module . . . . .	3
1.5	Module contents . . . . .	3
<b>2</b>	<b>Indices and tables</b>	<b>5</b>
<b>Python Module Index</b>		<b>7</b>
<b>Index</b>		<b>9</b>



## VERIFYTWEET PACKAGE

### 1.1 Subpackages

#### 1.1.1 verifytweet.config package

##### 1.1.1.1 Submodules

###### 1.1.1.2 verifytweet.config.settings module

```
class verifytweet.config.settings.Config
    Bases: object

        Configuration for the app

        FILE_DIRECTORY = '/tmp/tmptp25vsrj'
        IMAGEMAGICK_PATH = 'convert'
        LOG_LEVEL = 20
        RUN_METHOD = 'web'
        TWEET_MAX_STORE = 150
        UPSCALE_RESOLUTION = '300x300'

class verifytweet.config.settings.TwitterAPIConfig
    Bases: verifytweet.config.settings.Config

        Twitter API Configuration

        SIMILARITY_THRESHOLD = 0.6
        TWEET_COUNT = 150
        TWEET_COUNT_KEY = 'count'
        TWEET_DATE_KEY = 'created_at'
        TWEET_MAX_OLD = 7
        TWEET_TEXT_KEY = 'text'
        TWEET_USERNAME_KEY = 'screen_name'
        TWITTER_ACESSTOKEN = None
        TWITTER_APIVER = '1.1'
        TWITTER_CONTEXT = 'statuses/user_timeline.json'
```

```
TWITTER_HOSTNAME = 'https://api.twitter.com'

class verifytweet.config.settings.WebConfig
    Bases: verifytweet.config.settings.Config

    Configuration for running as web service

    ALLOWED_EXTENSIONS = {'jpeg', 'jpg', 'png'}

    APP_HOST = None

    APP_PORT = None

    MAX_CONTENT_LENGTH = 2097152

    MAX_CONTENT_LENGTH_KEY = 'MAX_CONTENT_LENGTH'

    TIMEOUT = 2000

    WORKER_CLASS = 'eventlet'

    WORKER_COUNT = 9

verifytweet.config.settings.app_config
    alias of verifytweet.config.settings.WebConfig

verifytweet.config.settings.no_of_workers()
    Returns no.of workers to be spawned

    Retrieves cpu count using multiprocessing module. No.of workers suggested is one more than twice the cpu
    count.
```

### 1.1.1.3 Module contents

## 1.1.2 verifytweet.services package

### 1.1.2.1 Submodules

#### 1.1.2.2 verifytweet.services.controller module

#### 1.1.2.3 verifytweet.services.image module

#### 1.1.2.4 verifytweet.services.search module

#### 1.1.2.5 verifytweet.services.text module

### 1.1.2.6 Module contents

## 1.1.3 verifytweet.util package

### 1.1.3.1 Submodules

#### 1.1.3.2 verifytweet.util.date\_checker module

```
verifytweet.util.date_checker.format_for_date(tweet_datetime: datetime.datetime)
```

```
verifytweet.util.date_checker.valid_date(processed_date)
```

Check if processed date of tweet is older than configured duration

**Args:** processed\_date: Represents date of processed tweet from image.

**Returns:** A Boolean indicating if tweet can be further processed or not.

#### 1.1.3.3 verifytweet.util.logging module

#### 1.1.3.4 verifytweet.util.result module

```
class verifytweet.util.ResultStatus
Bases: enum.Enum
```

Represents the result status of each module, inherits Enum class.

```
ALL_OKAY = 0
```

```
MODULE_FAILURE = 2
```

```
NO_RESULT = 1
```

#### 1.1.3.5 verifytweet.util.uploader module

#### 1.1.3.6 verifytweet.util.validator module

#### 1.1.3.7 Module contents

## 1.2 Submodules

### 1.3 verifytweet.app module

### 1.4 verifytweet.cli module

### 1.5 Module contents



---

**CHAPTER  
TWO**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

### V

verifytweet, 3  
verifytweet.config, 2  
verifytweet.config.settings, 1  
verifytweet.services, 2  
verifytweet.util, 3  
verifytweet.util.date\_checker, 2  
verifytweet.util.logging, 3  
verifytweet.util.result, 3



# INDEX

## A

ALL\_OKAY (*verifytweet.util.result.ResultStatus attribute*), 3  
ALLOWED\_EXTENSIONS (*verifytweet.config.settings.WebConfig attribute*), 2  
app\_config (*in module verifytweet.config.settings*), 2  
APP\_HOST (*verifytweet.config.settings.WebConfig attribute*), 2  
APP\_PORT (*verifytweet.config.settings.WebConfig attribute*), 2

## C

Config (*class in verifytweet.config.settings*), 1

## F

FILE\_DIRECTORY (*verifytweet.config.settings.Config attribute*), 1  
format\_for\_date () (*in module verifytweet.util.date\_checker*), 2

## I

IMAGEMAGICK\_PATH (*verifytweet.config.settings.Config attribute*), 1

## L

LOG\_LEVEL (*verifytweet.config.settings.Config attribute*), 1

## M

MAX\_CONTENT\_LENGTH (*verifytweet.config.settings.WebConfig attribute*), 2  
MAX\_CONTENT\_LENGTH\_KEY (*verifytweet.config.settings.WebConfig attribute*), 2  
MODULE\_FAILURE (*verifytweet.util.result.ResultStatus attribute*), 3

## N

no\_of\_workers () (*in module verifytweet.config.settings*), 2  
NO\_RESULT (*verifytweet.util.result.ResultStatus attribute*), 3

## R

ResultStatus (*class in verifytweet.util.result*), 3  
RUN\_METHOD (*verifytweet.config.settings.Config attribute*), 1

## S

SIMILARITY\_THRESHOLD (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1

## T

TIMEOUT (*verifytweet.config.settings.WebConfig attribute*), 2  
TWEET\_COUNT (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWEET\_COUNT\_KEY (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWEET\_DATE\_KEY (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWEET\_MAX\_OLD (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWEET\_MAX\_STORE (*verifytweet.config.settings.Config attribute*), 1  
TWEET\_TEXT\_KEY (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWEET\_USERNAME\_KEY (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1  
TWITTER\_ACESSTOKEN (*verifytweet.config.settings.TwitterAPIConfig attribute*), 1

TWITTER\_APIVER (veri-  
fytweet.config.settings.TwitterAPIConfig  
attribute), 1  
TWITTER\_CONTEXT (veri-  
fytweet.config.settings.TwitterAPIConfig  
attribute), 1  
TWITTER\_HOSTNAME (veri-  
fytweet.config.settings.TwitterAPIConfig  
attribute), 1  
TwitterAPIConfig (class in verify-  
fytweet.config.settings), 1

**U**

UPSCALE\_RESOLUTION (veri-  
fytweet.config.settings.Config  
attribute), 1

**V**

valid\_date() (in module verify-  
fytweet.util.date\_checker), 2  
verifytweet (module), 3  
verifytweet.config (module), 2  
verifytweet.config.settings (module), 1  
verifytweet.services (module), 2  
verifytweet.util (module), 3  
verifytweet.util.date\_checker (module), 2  
verifytweet.util.logging (module), 3  
verifytweet.util.result (module), 3

**W**

WebConfig (class in verifytweet.config.settings), 2  
WORKER\_CLASS (verifytweet.config.settings.WebConfig  
attribute), 2  
WORKER\_COUNT (verifytweet.config.settings.WebConfig  
attribute), 2